



ProtectPay API Appendix B

Supported Gateways

April 2020

PROPAY[®]
A TSYS[®] Company

The following MerchantProfileId settings are supported by ProtectPay. It is the responsibility of the merchant to obtain the appropriate values for each ProcessorField.

ProtectPay Supported Gateway and Credential Requirements

ProPay

Payment Processor	ProcessorField	Value
LegacyProPay	certStr	
	termid	
	accountNum	
	forceRecurring	Y/N

Payment Processor	ProcessorField	Value
LegacyProPayCan	certStr	
	termid	
	accountNum	

Authorize.net

- CVV code has no effect in their test environment

Payment Processor	ProcessorField	Value
AuthorizeNet	API_LOGIN_ID	
	API_TRANSACTION_KEY	

China Trust

- Protect Pay integrated the CTBC API Version of the API only.
- CTBC must be configured to accept a MID-only configuration or the following error will be returned: 3DSECURE_PROCESS_ERROR - (3D authentication Failed) error.
- When configured this way, the API key is not required.
- Agreements must be signed with client and China Trust.
- Invoices do not support special characters such as dashes. See CTBC documentation for more details.
- AVS response will always return 'Not Present'
- Refunds are only successful once the original transaction has settled. Clients must use the OriginalTransactionId returned from 4.5.4 Capture Transaction as the OriginalTransactionId for Refunds.

Payment Processor	ProcessorField	Value
ChinaTrust	MerID	
	Key	

CyberSource

- Requires billing email address for transaction processing
- Transactions Require an Invoice Number

Payment Processor	ProcessorField	Value
CyberSource	TransactionKey	
	MerchantID	

Digital River

- Not all values are required, depends on business needs

Payment Processor	ProcessorField	Value
DigitalRiver	MerchantId	
	MerchantId-HKD	
	MerchantId-MXN	

MerchantId-USD	
Password	
POSID	
TransactionChannel	
Username	

EasyPay Korea (KICC)

- Only Supports SALE and VOID
- Only supports Korean Won transactions

Payment Processor	ProcessorField	Value
EasyPayKorea	TerminalId	

Network Merchants (NMI)

- ProtectPay only supports the NMI web platform

Payment Processor	ProcessorField	Value
NetworkMerchants	API_LOGIN_ID	
	API_TRANSACTION_KEY	

Orbital (Chase Paymentech)

- Test environment will not return decline
- Username and PW not required if IP white-listed
- If Refunding transactions not originally performed by ProtectPay, clients must submit the following piped combination of values "originaltransactionid | ordernumber" as the OriginalTransactionId

Payment Processor	ProcessorField	Value
Orbital	OrbitalBin	
	OrbitalMerchantId	
	OrbitalTerminalId	
	OrbitalUsername	
	OrbitalPassword	
	OrbitalIndustryType	

PayflowPro

- Does not allow capture for more than initial authorization

Payment Processor	ProcessorField	Value
PayFlowPro	Partner	
	PWD	
	USER	
	VENDOR	

PaymentXP

- Test environment will not return decline
- Test environment only supports JPY
- Cannot perform credit transaction, must Void or Refund
- Refunding unsettled transactions will void them
- Does not return very specific reasons for decline

Payment Processor	ProcessorField	Value
PaymentXP	MerchantId	
	MerchantKey	

PayVision

- Test environment will not return decline
- Does not allow capture for more than auth
- Transactions require invoice number
- Must submit amount for capture transaction
- Must pass country for credit transaction
- Submitting values between: 100-500 or 100000-500000 will result in a decline code in the test environment

Payment Processor	ProcessorField	Value
PayVision	MemberId	
	MemberGuid	

SecurePay

- All transactions must include an Invoice Number

Payment Processor	ProcessorField	Value
SecurePay	MerchantId	
	Password	

Web Collect

- Authorization Codes are only returned when configured to be returned by Ignenico ePayments

Payment Processor	ProcessorField	Value
WebCollect	MERCHANTID	

WorldPay

Payment Processor	ProcessorField	Value
WorldPay	MerchantCode	
	Password	